



TEST REPORT

Report No.: CCI220500055EN

Report Date: May. 05, 2022

Page 1 of 10

Applicant : Shenzhenshikedikera E-commerce Co., Ltd
Address : Bao An Area Xi Xiang Street Gong Le Community Gong He Industrial Road No.48 Bai Lu Guang
Chang A Dong 409-1 Shen Zhen Guang Dong

(The following sample(s) was (were) submitted and identified by client as)

Sample Name : Farm Orchard Intelligence Car
Model/Item No. : JHTOY-556
Manufacturer : Zhejiang Jiahe Toys Co., Ltd
Manufacturer Address : 97 Fuxing Road, Yunhe County, Zhejiang Province, China
Labeled Age Grading : 12m+
Requested Age Grading : 1+
Age Group Applied in Testing : Over 1 Year
Packaging Provided by Applicant : Yes
Additional Material and Wet Paint Provided : No
Test Period : From May. 05, 2022 to May. 05, 2022
Tests Conducted : As requested by the applicant, for details refer to next page(s).

Signed for and on behalf of
Compliance Control Institute (Guangzhou) Co., Ltd.

Approved by: _____

Pascal SHI/Technical Director

Compliance Control Institute (Guangzhou) Co., Ltd.

Room 701, Building 2, No.89, Majun Street, Nansha District, Guangzhou,
Guangdong, China
Tel: +86-20-84900678 Fax: +86-20-84910993
Email: cs@ccilab.com.cn Website: www.ccilab.com.cn

This report is governed by, and incorporates by reference, the General Terms and Conditions of Testing which could be obtained / consulted by request to CCI or via the webpage of Conditions of Testing in the official website: www.ccilab.com.cn. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. This report sets forth our findings solely respect to the client's request(s) and the test results are obtained just with the submitted sample identified herein. The test results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. This report can not be reproduced except in full, without prior written permission of CCI. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful, and any offenders may be prosecuted to the fullest extent of the law.



TEST REPORT

Report No.: CCI220500055EN

Report Date: May. 05, 2022

Page 2 of 10

Executive Summary:

No.	TESTED SAMPLE	STANDARD / REQUIREMENT	CONCLUSION
1	Submitted samples	ASTM F963-17 American Standard Consumer Safety Specification for Toy Safety - Physical and Mechanical Tests	PASS
	Submitted samples	ASTM F963-17 American Standard Consumer Safety Specification for Toy Safety - Flammability Test on solids and soft toys	PASS
	Tested material(s) of submitted sample(s)	ASTM F963-17 American Standard Consumer Safety Specification for Toy Safety - Total Lead (Pb)	PASS
	Tested material(s) of submitted sample(s)	ASTM F963-17 American Standard Consumer Safety Specification for Toy Safety - Soluble Heavy Metals	PASS
2	Submitted samples	Consumer Product Safety Committee(CPSC)16 CFR - Physical and Mechanical Tests	PASS
	Submitted samples	Consumer Product Safety Committee(CPSC)16 CFR 1500.3 (c) (6) (vi) - Flammability Test	PASS
3	Submitted samples	Section 103 of U.S. Consumer Product Safety Improvement Act of 2008 (CPSIA) - Tracking labels for children product	PASS
	Tested material(s) of submitted sample(s)	Section 101 of U.S. Consumer Product Safety Improvement Act of 2008 (CPSIA) - Total Lead (Pb)	PASS
	Tested material(s) of submitted sample(s)	Section 108 of U.S. Consumer Product Safety Improvement Act of 2008 (CPSIA) - Phthalates	PASS



TEST REPORT

Report No.: CCI220500055EN

Report Date: May. 05, 2022

Page 3 of 10

TESTS CONDUCTED:

1.1. Physical and Mechanical Tests- ASTM F963-17

As per ASTM Standard Consumer Safety Specification for Toy Safety F963-17.

The submitted samples were undergone the tests in accordance with section 8.5 through 8.30 on normal use, abuse and specific tests for different types of toys whichever is applicable

Test	Parameter
Impact test	10 x 4.5 ft
Torque test	4 in-lbf
Tension test	15 lbf
Compression test	30 lbf

Section	Testing Items	Assessment
4.1	Material quality (visual check on cleanliness)	P
4.2	Flammability	P
4.3.7	Stuffing Materials	NA
4.4	Electrical/Thermal Energy	NA
4.5	Sound-producing toys	NA
4.6.1	Toys intended for children under 36 months (small objects)	P
4.6.2	Mouth-actuated toys	NA
4.6.3	Toys and games for children at least 36 months but less than 72 months (small part warning)	NA
4.7	Accessible edges	P
4.8	Projections	P
4.9	Accessible points	P
4.10	Wires or rods	NA
4.11	Nails and fasteners	P
4.12	Plastic film	P
4.13	Folding mechanisms and hinges	NA
4.14	Cords, straps, and elastics	NA
4.15	Stability and over-load requirements	NA
4.16	Confined spaces	NA
4.17	Wheels, tires and axles	NA
4.18	Holes, clearance, and accessibility of mechanisms	NA
4.19	Simulated protective devices (such as helmets, hats and goggles)	NA
4.20	Pacifiers	NA

Compliance Control Institute (Guangzhou) Co., Ltd.

Room 701, Building 2, No.89, Majun Street, Nansha District, Guangzhou, Guangdong, China

Tel: +86-20-84900678

Fax: +86-20-84910993

Email: cs@ccilab.com.cn

Website: www.ccilab.com.cn

This report is governed by, and incorporates by reference, the General Terms and Conditions of Testing which could be obtained / consulted by request to CCI or via the webpage of Conditions of Testing in the official website: www.ccilab.com.cn. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. This report sets forth our findings solely respect to the client's request(s) and the test results are obtained just with the submitted sample identified herein. The test results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. This report can not be reproduced except in full, without prior written permission of CCI. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful, and any offenders may be prosecuted to the fullest extent of the law.



TEST REPORT

Report No.: CCI220500055EN

Report Date: May. 05, 2022

Page 4 of 10

Section	Testing Items	Assessment
4.21	Projectile toys	NA
4.22	Teethers and teething toys	NA
4.23	Rattles	NA
4.24	Squeeze toys	NA
4.25	Battery-operated toys	NA
4.26	Toys intended to be attached to a crib or playpen	NA
4.27	Stuffed and beanbag-type toys	NA
4.28	Stroller and carriage toys	NA
4.29	Art materials	NA
4.30	Toy gun marking	NA
4.31	Balloons	NA
4.32	Certain toys with nearly spherical ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-shaped objects	NA
4.37	Yoyo elastic tether toys	NA
4.38	Magnets	P
4.39	Jaw entrapment in handles and steering wheels	NA
4.40	Expanding materials	NA
4.41	Toy chests	NA
5	Labelling requirement	P
6	Instructional literature	P
7	Producer's markings	
7.1	- Name of producer/distributor (Toy&Package)	Yes
	- Address (Toy&Package)	Yes
7.3	Toy chests	
7.3.1	Name and address of manufacturer/distributor/seller	NA
7.3.2	Code mark	NA

Note:

1. P = Pass

2. NA = Not Applicable

Compliance Control Institute (Guangzhou) Co., Ltd.

Room 701, Building 2, No.89, Majun Street, Nansha District, Guangzhou, Guangdong, China

Tel: +86-20-84900678

Fax: +86-20-84910993

Email: cs@ccilab.com.cn

Website: www.ccilab.com.cn

This report is governed by, and incorporates by reference, the General Terms and Conditions of Testing which could be obtained / consulted by request to CCI or via the webpage of Conditions of Testing in the official website: www.ccilab.com.cn. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. This report sets forth our findings solely respect to the client's request(s) and the test results are obtained just with the submitted sample identified herein. The test results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. This report can not be reproduced except in full, without prior written permission of CCI. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful, and any offenders may be prosecuted to the fullest extent of the law.



TEST REPORT

Report No.: CCI220500055EN

Report Date: May. 05, 2022

Page 5 of 10

1.2. Flammability Test- ASTM F963-17

As per section 4.2 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-17, the sample was tested according to Annex A5 Flammability Testing Procedure for Solids and Soft Toys.

Sample	Ignition Point	Burn Length (inch)	Time (sec)	Burn rate (inch/sec)	Limit (inch/sec)
Farm Orchard Intelligence Car	Edge	/	/	IBE	0.1

Note: IBE = Ignited But Self-Extinguished

1.3. Total Lead content - ASTM F963-17

Total Lead content in coating - ASTM F963-17 Section 4.3.5.1

Test Method: With reference to ASTM F963-17 Section 8.3.1, was analyzed by Atomic Absorption Spectrometer (AAS) or Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

Material No.	RL (mg/kg)	Limit (mg/kg)	Test Result (mg/kg)	Conclusion
1	10	90	N.D.	PASS

- Note:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (< RL).
 3. RL = Reporting Limit.

Total Lead content in substrate material - ASTM F963-17 Section 4.3.5.2

Test Method: With reference to ASTM F963-17 Section 8.3.1, was analyzed by Atomic Absorption Spectrometer (AAS) or Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

Material No.	RL (mg/kg)	Limit (mg/kg)	Test Result (mg/kg)	Conclusion
2	10	100	N.D.	PASS

- Note:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (< RL).
 3. RL = Reporting Limit.



TEST REPORT

Report No.: CCI220500055EN

Report Date: May. 05, 2022

Page 6 of 10

1.4. Soluble Heavy Metals content in paint and surface coating - ASTM F963-17 Section 4.3.5.1

Test Method: With reference to ASTM F963-17 Section 8.3.2 to Section 8.3.5, was analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

Elements	Sb	As	Ba	Cd	Cr	Pb	Hg	Se	Conclusion
Limit(mg/kg)	60	25	1000	75	60	90	60	500	
RL (mg/kg)	5	2.5	5	5	5	5	5	5	
Material No.	Test Result (mg/kg)								PASS
1	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	

- Note:**
1. mg/kg = Milligram per kilogram (ppm).
 2. N.D. = Not Detected (< RL).
 3. RL = Reporting Limit.
 4. All the reported results of soluble heavy metals are adjusted analytical results with the analytical correction shown in the following table

Element	Sb	As	Ba	Cd	Cr	Pb	Hg	Se
Analytical correction (%)	60	60	30	30	30	30	50	60

Soluble Heavy Metals content in substrate material - ASTM F963-17 Section 4.3.5.2

Test Method: With reference to ASTM F963-17 Section 8.3.2 to Section 8.3.5, was analyzed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

Elements	Sb	As	Ba	Cd	Cr	Pb	Hg	Se	Conclusion
Limit(mg/kg)	60	25	1000	75	60	90	60	500	
RL (mg/kg)	5	2.5	5	5	5	5	5	5	
Material No.	Test Result (mg/kg)								PASS
2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	

- Note:**
1. mg/kg = Milligram per kilogram (ppm).
 2. N.D. = Not Detected (< RL).
 3. RL = Reporting Limit.
 4. All the reported results of soluble heavy metals are adjusted analytical results with the analytical correction shown in the following table

Element	Sb	As	Ba	Cd	Cr	Pb	Hg	Se
Analytical correction (%)	60	60	30	30	30	30	50	60



TEST REPORT

Report No.: CCI220500055EN

Report Date: May. 05, 2022

Page 7 of 10

2.1. Physical and Mechanical Tests -CPSC

As specified in U.S code of federal regulations title 16 part 1500 and part 1501

Farm Orchard Intelligence Car	SHARP POINT (1500.48)	SHARP EDGE (1500.49)	SMALL PART (1501)
As Received	P	P	P
Impact Test (Sec.1500.51b)	P	P	P
Flexure Test (Sec.1500.53d)	NA	NA	NA
Torque Test (Sec.1500.53e)	P	P	P
Tension Test (Sec.1500.53f)	P	P	P
Compression Test (Sec.1500.53g)	P	P	P

Note:

1. P = Pass
2. NA = Not Applicable

2.2. Flammability Test-CPSC

As specified in title 16 part 1500.44 code of federal regulations u.s.a.

Sample	Ignition Point	Burn Length (inch)	Time (sec)	Burn rate (inch/sec)	Limit (inch/sec)
Farm Orchard Intelligence Car	Edge	/	/	IBE	0.1

Note: IBE = Ignited But Self-Extinguished.



TEST REPORT

Report No.: CCI220500055EN

Report Date: May. 05, 2022

Page 8 of 10

3.1. Tracking label assessment–CPSIA

As per consumer product safety improvement act (CPSIA) 2008 Section 103 tracking labels for children products

Tracking label found on package:

Name of manufacturer	Zhejiang Jiahe Toys Co., Ltd
Location	97 Fuxing Road, Yunhe County, Zhejiang Province, China
Date code	2022-3-10
Batch No.	/

Tracking label found on the product:

Name of manufacturer	Zhejiang Jiahe Toys Co., Ltd
Location	97 Fuxing Road, Yunhe County, Zhejiang Province, China
Date code	2022-3-10
Batch No.	/

Remark: The tracking label assessment was based on the submitted sample and the information provided by the applicant. There was no verification on the validity of such information.

3.2. Total Lead content–CPSIA

Total Lead content in Surface Coating:

Test Method: With reference to CPSC-CH-E1003-09.1, was analyzed by Atomic Absorption Spectrometer (AAS) or Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

Material No.	RL (mg/kg)	Limit (mg/kg)	Test Result (mg/kg)	Conclusion
1	2	90	N.D.	PASS

Total Lead content in Substrate:

Test Method:

Metal - With reference to CPSC-CH-E1001-08.3

Nonmetal - With reference to CPSC-CH-E1002-08.3, was analyzed by Atomic Absorption Spectrometer (AAS) or Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES).

Material No.	RL (mg/kg)	Limit (mg/kg)	Test Result (mg/kg)	Conclusion
2	2	100	N.D.	PASS

- Note:**
1. mg/kg = milligram per kilogram (ppm).
 2. N.D. = Not Detected (< RL).
 3. RL = Reporting Limit.

Compliance Control Institute (Guangzhou) Co., Ltd.

Room 701, Building 2, No.89, Majun Street, Nansha District, Guangzhou, Guangdong, China

Tel: +86-20-84900678

Fax: +86-20-84910993

Email: cs@ccilab.com.cn

Website: www.ccilab.com.cn

This report is governed by, and incorporates by reference, the General Terms and Conditions of Testing which could be obtained / consulted by request to CCI or via the webpage of Conditions of Testing in the official website: www.ccilab.com.cn. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. This report sets forth our findings solely respect to the client's request(s) and the test results are obtained just with the submitted sample identified herein. The test results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. This report can not be reproduced except in full, without prior written permission of CCI. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful, and any offenders may be prosecuted to the fullest extent of the law.



TEST REPORT

Report No.: CCI220500055EN

Report Date: May. 05, 2022

Page 9 of 10

3.3. Phthalates-CPSIA

Test Method: With reference to CPSC-CH-C1001-09.4, was analyzed by Gas Chromatography-Mass Spectrometry (GC-MS).

Substances	CAS No.	RL (%)	Limit (%)	Test Result (%)
				1
Di-2-ethylhexyl phthalate (DEHP)	117-81-7	0.0020	0.1	N.D.
Dibutyl phthalate (DBP)	84-74-2	0.0020	0.1	N.D.
Butyl benzyl phthalate (BBP)	85-68-7	0.0020	0.1	N.D.
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	0.0040	0.1	N.D.
Diisobutyl phthalate(DIBP)	84-69-5	0.0020	0.1	N.D.
Diamyl phthalate (DPENP)	131-18-0	0.0020	0.1	N.D.
Di-n-Hexyl phthalate (DHEXP)	84-75-3	0.0020	0.1	N.D.
Dicyclohexyl phthalate (DCHP)	84-61-7	0.0020	0.1	N.D.
Conclusion				PASS

- Note:**
1. % = percentage by weight, 0.1% = 1000mg/kg = 1000ppm.
 2. N.D. = Not Detected (< RL).
 3. RL = Reporting Limit.

Test Material(s) List

Material No.	Description
1	Pink coating
2	Primary color wood block



TEST REPORT

Report No.: CCI220500055EN

Report Date: May. 05, 2022

Page 10 of 10

Photo Appendix



★★★★★End of Report★★★★★